



## JEEP CHEROKEE XJ

# CHRYSLER

### ARB DELUXE BULL BARS & WINCH BARS

Year	Type	Features	Winches	Part No.
1997-02	Winch Bar	Airbag Approved, Recessed Indicators, Tow Points, Black	XD9000, M8000, M6000	3450080 <sup>1</sup>
1984-96	Winch Bar	Airbag Approved, Recessed Indicators, Tow Points, Black	XD9000, M8000, M6000	3450010 <sup>1</sup>

<sup>1</sup> Minor modifications to bar may be required when fitting large diameter lamps.

### IPF LIGHTS & LIGHTING ACCESSORIES

Year	Recommended Lighting
1984-02	800XSD, 960 S/R, 868CS, 968CS, J-01

### SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
2/95 to 8/97	Inline six, 4.0 Litre, Left Side Mount	SS1195HF
to 1/95	Inline six, 4.0 Litre, Left Side Mount	SS1100HF

Refer to [www.safari4x4.com.au](http://www.safari4x4.com.au) for details.

### OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
ALL	Front	Stock/Light Load (0-110lbs)	Spring	1.75"	2	OME930
			Shock		2	*N35/N35C
ALL	Front	Heavy Load (110-200lbs)	Spring	1.50"	2	OME930
			Shock		2	N35
ALL	Rear	Light Load	Spring	2.0"	2	CS034RB
			Shock		2	*N36/N36C
ALL	Rear	Medium Load	Spring	2.5"	2	CS034RA
			Shock		2	*N36/N36C
ALL	Rear	Medium Load	Spring	3.0"	2	CS033RA
			Shock		2	N36L <sup>4</sup>
ALL	Rear	Heavy Constant Load	Spring	2.0"	2	CS035RA
			Shock		2	N36
ALL	Installation	Leaf Spring Bushings				OE <sup>1</sup>
		U Bolts			4	OMEU60/57 <sup>2</sup>
		T-Case Spacer Kit			1	XJGK01
		Steering Damper			1	OMESD40
Optional	Front 10mm Trim Spacer					OMEJGF10
		Rear Extra Leaf				D22XL <sup>3</sup>
Also Available	Front Extended Length Shocks				2	N35L <sup>4</sup>
		Rear Extended Length Shocks			2	N36L <sup>4</sup>

<sup>1</sup> OE rubber leaf spring bushings are used to isolate road noise. Install original bushings from OE springs if they are in good condition, or source new OE bushings from dealership.

<sup>2</sup> OMEU60 suits Dana 35 type axle. OMEU57 suits Chrysler 8.25" type axle.

<sup>3</sup> Extra leaf can be fitted for heavier constant load carrying ability.

<sup>4</sup> N35L/N36L Extended Length Shocks are for 3-5" suspension lifts only. Modified bump stop are required.

\* Firmer shock.

**ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES**

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>	<u>Spline</u>	<u>Ratio</u>	<u>Part No.</u>
ALL	Front	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100
					3.54 & DN	RD101
				30	3.73 & UP	RD104
ALL	Rear	Dana 35, C-clip, XJ, YJ, ZJ, TJ, WJ	29.5 (1.16")	27	2.73-3.31	RD103
					3.54 & UP	RD102
				30	3.54 & UP	RD105
1997-00		Chrysler 8.25" dia. RG, C-clip	30.7 (1.21")	29	All	RD93 <sup>1</sup>
1984-96		Chrysler 8.25" dia. RG, C-clip	29.5 (1.16")	27	All	RD112 <sup>1</sup>
1986-91	Rear	Dana 44	33.3 (1.31")	30	3.92 & UP	RD116
					3.73 & DN	RD117

<sup>1</sup> Pre 1997 - 8.25" axle assemblies w/27 spline shafts will accept newer 29 spline shafts if RD93 is fitted.

**ARB AIR LOCKER DIFFERENTIAL COVERS**

<u>Differential</u>	<u>Description</u>	<u>Part No.</u>
Dana 44	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750003
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002
Dana 35	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750004

**ARB ROOF RACKS**

<u>Year</u>	<u>Recommended Roof Racks</u>	<u>Part No.</u>
ALL	73 x 49" with Mesh Floor	3800020M
	73 x 49" without Mesh Floor	3800020
	Fitting Kit for 73 x 49"	3700050
ALL	43 x 49" with Mesh floor	3800030M
	43 x 49" without Mesh floor	3800030
	Fitting Kit for 43 x 49"	3700060
	Wind Deflector for 49" wide Roof Rack	3700310
	Hi-lift Jack and Shovel holder for ARB Roof Rack	K6202



# CHRYSLER

## JEEP GRAND CHEROKEE WJ

### ARB DELUXE BULL BARS & WINCH BARS

#### Including Air Bag Equipped Models

Year	Type	Features	Winches	Part No.
2001-04	Combination Bar	Airbag Approved, Recessed Indicators,Urethane Buffers, Tow Points, Split Pan, Black	HS9500, XD9000, M8000, M6000	3450100
1999-00 <sup>2</sup>	Combination Bar	Airbag Approved, Recessed Indicators,Urethane Buffers, Tow Points, Split Pan, Black	HS9500, XD9000, M8000, M6000, 9.5XP	3450100 <sup>2</sup>

<sup>2</sup> Important: Fitment of bull bar to 1999-2000 WJ requires upgrade to hydraulic cooling system from later model.

### IPF LIGHTS & LIGHTING ACCESSORIES

Year	Recommended Lighting
1999-04	800XSD, 900XS, 900HID, 960S/R, 868CS, 968CS, J-01

### SAFARI SNORKELS

Year	Recommended Snorkel
N/A	N/A

### OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
ALL	Front	Stock/Light Load (0-90lbs)	Spring	1.50"	2	OME935
			Shock		2	N111
ALL	Front	Heavy Load (90-200lbs)	Spring	1.50"	2	OME936
			Shock		2	N111
ALL	Rear	Medium Load	Spring	1.50"	2	OME944
			Shock		2	N117
ALL	Rear	Heavy Load (90-200lbs)	Spring	1.50"	2	OME945
			Shock		2	N117
ALL	Installation	Front Stabilizer Bar				OMESTAB1 <sup>1</sup>
	Optional	Front 10mm Trim Spacer				OMEWJPF10
		Rear 10mm Trim Spacer				OMEWJPR10

<sup>1</sup> OMESTAB1 is a lighter rate OME replacement stabilizer bar which is recommended so maximum ride quality can be obtained.

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

Year	Axle	Description	Shaft	Spline	Ratio	Part No.
ALL	Front <sup>1</sup>	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100
					3.54 & DN	RD101
					3.73 & UP	RD104
	Rear	Dana 35	29.5 (1.16")	27	3.31 - DN	RD103
					3.54 - UP	RD102
					3.54 - UP	RD105
		Dana 44-4	33.3 (1.31")	30		NA*

\* ARB Air Locker does not fit Dana 44 Aluminum housing.\*

<sup>1</sup> Quadradrive traction control vehicles require non-quadradrive axle shaft replacements for air locker installation.

### ARB AIR LOCKER DIFFERENTIAL COVERS

Differential	Description	Part No.
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002



# CHRYSLER

## JEEP GRAND CHEROKEE WK

### ARB DELUXE BULL BARS & WINCH BARS

#### Including Air Bag Equipped Models

<u>Year</u>	<u>Type</u>	<u>Features</u>	<u>Winches</u>	<u>Part No.</u>
2005-07	Combination Bar	Airbag Approved, Recessed Indicators, Factory Fog Light Provision, Tow Points, Split Pan, Black	HS9500, XD9000, M8000, 9.5XP	3450130

### IPF LIGHTS & LIGHTING ACCESSORIES

<u>Year</u>	<u>Recommended Lighting</u>
2005-07	800XSD, 900XS, 900HID, 960S/R, 868CS, 968CS, J-01

### SAFARI SNORKELS

<u>Year</u>	<u>Recommended Snorkel</u>
N/A	N/A

### OLD MAN EMU SUSPENSION PRODUCTS

<u>Model</u>	<u>Location</u>	<u>Description</u>	<u>Type</u>	<u>Lift</u>	<u>Quantity</u>	<u>Part No.</u>
ALL	Front	Medium Load	Spring	2.0"	2	OME990
			Shock		2	N188S
ALL	Front	Heavy Load (90-200lbs)	Spring	2.0"	2	OME991
			Shock		2	N188S
ALL	Rear	Medium Load	Spring	2.0"	2	OME992
			Shock		2	N190
ALL	Rear	Heavy Load (90-200lbs)	Spring	2.0"	2	OME993
			Shock		2	N190

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>	<u>Spline</u>	<u>Ratio</u>	<u>Part No.</u>
ALL	Front	TBD				TBD
	Rear	TBD				TBD

\* ARB Air Locker does not fit Dana 44 Aluminum housing.\*



# CHRYSLER

## JEEP GRAND CHEROKEE ZJ

### ARB DELUXE BULL BARS & WINCH BARS

#### Including Air Bag Equipped Models

Year	Type	Features	Winches	Part No.
1993-98	Winch Bar	Airbag Approved, Recessed Indicators, Tow Points, Black	HS9500, XD9000, M8000, M6000	3450060

### IPF LIGHTS & LIGHTING ACCESSORIES

Year	Recommended Lighting
1993-98	800XSD, 900XS, 900HID, 930 S/R, 960 S/R, 868CS, 968CS, J-01

### SAFARI SNORKELS

Year	Recommended Snorkel
N/A	N/A

### OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
4.0L 6cyl	Front	Stock.Light Load (0-80lbs)	Spring	1.0"	2	OME931
			Shock		2	*N39/N39C
4.0L 6cyl	Front	Medium Load (80-160lbs)	Spring	.75"	2	OME930
			Shock		2	*N39/N39C
5.2L V8	Front	Stock.Light Load (0-90lbs)	Spring	1.0"	2	OME934
			Shock		2	N39
5.2L V8	Front	Heavy Load (90-180lbs)	Spring	.75"	2	OME934
			Shock		2	N39
ALL	Rear	Medium Load	Spring	1.0"	2	OME940
			Shock		2	*N40/N40C
ALL	Rear	Heavy Constant Load (220lbs +)	Spring	.75"	2	OME943
					2	N40
Installation	Steering Damper				1	OMESD40
Optional	Front 10mm Trim Packer					OMEJGF10
	Rear 10mm Trim Packer					OMEJGR10
Also Available	Front Extended Length Shocks				2	N39L <sup>1</sup>
	Rear Extended Length Shocks				2	N40L <sup>1</sup>

<sup>1</sup> N39L/N40L Extended length shocks are for 3-5" suspension lifts only and are not intended for use with any Old Man Emu systems. Modified bump stops are required.

\* Firmer shock.

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

Year	Axle	Description	Shaft	Spline	Ratio	Part No.
1993-98	Front	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100 <sup>1</sup>
					3.54 & DN	RD101 <sup>1</sup>
					30	3.73 & UP
1993-98	Rear	Dana 35, C-clip, XJ, YJ, ZJ, TJ, WJ	29.5 (1.16")	27	2.73-3.31	RD103 <sup>2</sup>
					3.54 & UP	RD102 <sup>2</sup>
					30	3.54 & UP

<sup>1</sup> Quadradrive traction control vehicles require non-quadradrive axle shaft replacements for Air Locker installation.

<sup>2</sup> Newer OEM Dana 35 & Dana 44 gear rings have 7/16" bolts. Flange holes of the Air Locker must be reamed larger to suit.

\* ARB Air Locker does not fit Dana 44 Aluminum housing.\*

### ARB AIR LOCKER DIFFERENTIAL COVERS

Differential	Description	Part No.
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002
Dana 35	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750004



## JEEP LIBERTY KJ

# CHRYSLER

### ARB DELUXE BULL BARS & WINCH BARS

#### Including Air Bag Equipped Models

<u>Year</u>	<u>Type</u>	<u>Features</u>	<u>Winches</u>	<u>Part No.</u>
2001-04	Combination Bar	Airbag Approved, Recessed Indicators <sup>1</sup> , Recessed Fog Lamps <sup>2</sup> , Tow Points, Split Pan, Hi-Lift Provision, Grey Powdercoat	HS9500, XD9000, M8000, M6000	3450110 <sup>3</sup>
2005-07	Combination Bar	Airbag Approved, Recessed Indicators, Recessed Fog Lamps <sup>2</sup> , Tow Points, Split Pan, Hi-Lift Provision, Grey Powdercoat	XD9000, M8000, M6000, 9.5XP	3450120

<sup>1</sup> Uses original equipment indicators.

<sup>2</sup> Uses original equipment fog lamps if supplied, except Renegade models 05-06.

<sup>3</sup> Fitment of bull bar to KJ requires modifications to fender flares.

### IPF LIGHTS & LIGHTING ACCESSORIES

<u>Year</u>	<u>Part No.</u>	<u>Recommended Lighting</u>
2001-06	ALL	800XSD, 900XS, 900HID, 930S/R, 960S/R, 868CS, 968CS, J-

### SAFARI SNORKELS

<u>Year</u>	<u>Recommended Snorkel</u>	<u>Part No.</u>
N/A	N/A	N/A

### OLD MAN EMU SUSPENSION PRODUCTS

<u>Model</u>	<u>Location</u>	<u>Description</u>	<u>Type</u>	<u>Lift</u>	<u>Quantity</u>	<u>Part No.</u>
GAS	Front	Gas - Stock/Light Load	Spring	1.5"	2	OME925
			Shock		2	NS130
GAS	Front	Gas - Medium Load (0-150lbs)	Spring	1.5"	2	OME926
			Shock		2	NS131
GAS	Front	Gas - Heavy Load (150lbs to GVW)	Spring	1.5"	2	OME927
			Shock		2	NS131
DIESEL	Front	Diesel - Stock/Light Load	Spring	1.5"	2	OME926
			Shock		2	NS130
DIESEL	Front	Diesel - Medium Load (0-110lbs)	Spring	1.5"	2	OME927
			Shock		2	NS131
DIESEL	Front	Diesel - Heavy Load (110-220lbs)	Spring	1.5"	2	OME790
			Shock		2	NS131
ALL	Rear	Gas/Diesel - Light Load	Spring	1.5"	2	OME947
			Shock		2	N132
ALL	Rear	Gas/Diesel - Medium Load	Spring	1.5"	2	OME948
			Shock		2	N132
ALL	Rear	OE replacement	Shock		2	N134 <sup>1</sup>

<sup>1</sup> Rear N134 for use with OE coils only

**Important: OME Suspension must be fitted as described - Do not fit medium or heavy for a light load vehicle application, etc.**

**ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES**

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>		<u>Ratio</u>	<u>Part No.</u>
			<u>Diameter</u>	<u>Spline</u>		
2001-06	Front	Dana 30 IFS	29.5 (1.16")	27	3.73 & UP 3.54 & DN	RD100 <sup>6</sup> RD101 <sup>6</sup>
2001-06	Rear	Chrysler 8.25" dia. RG, C-clip	30.7 (1.21")	29	All	RD93
		Dana 35	29.5 (1.16")	27	3.54 & UP 2.73-3.31	RD102 RD103
			29.5 (1.16")	30	3.54 & UP	RD105

<sup>6</sup> RD30/31 (older models) must not be used for IFS applications.

**ARB AIR LOCKER DIFFERENTIAL COVERS**

<u>Differential</u>	<u>Description</u>	<u>Part No.</u>
Dana 35	<a href="http://arbusa.com/New_Products/differential_cover.pdf">http://arbusa.com/New_Products/differential_cover.pdf</a>	0750004



# CHRYSLER

## JEEP WRANGLER JK 4 Door

### ARB DELUXE WINCH BARS

#### Including Air Bag Equipped Models

Year	Type	Features	Winches	Part No.
2007-08	Winch Bumper	Air Bag Approved, Retains the Factory Fog Lamps, Urethane Buffers, Recovery Points, Hi-Lift Jack Points, Auxiliary Light Mount Provisions	Warn 6-9500LBS, 9.5Ti, Warn Powerplant	3450200
2007-08	Rockbar	Recovery Points, Hi-Lift Jack Points, Auxiliary Light Mount Provisions	Warn 6-9500LBS, 9.5Ti, Warn Powerplant	3450210

### IPF LIGHTS & LIGHTING ACCESSORIES

Year	Recommended Lighting
2007-08	800XSD, 900XS, 900HID, 930S/R, 960 S/R, 868CS, 968CS, J-01

### ARB SIDE PROTECTION BARS

Year	Type	Item	Part No.
2007-08	JK 4 Door	Rock Sliders	4450210 <sup>1</sup>

<sup>1</sup>Rock Sliders Available Spring 2008

### ARB REAR PROTECTION BARS

Year	Type	Item	Part No.
2007-08	JK	Rear Bumper Assembly, Black	5650100 <sup>123</sup>

<sup>1</sup>Non Swing Out, Tire Mounts in Factory Position  
<sup>2</sup>Accommodates Up to a 35" Tire  
<sup>3</sup>Utilizes Factory Tow Package and Recovery Points  
\* Net Weight Only 40 lbs

### SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
2007-08	3.8L V6 Gas Engine	SS1060HF <sup>1</sup>
	2.8L I4 Diesel Engine	SS1065HF <sup>1</sup>

<sup>1</sup>SS1060HF and SS1065HF are Currently Under Development. Release TBA.

### OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.	
All	Front	Gas - Stock/Light Load (0-90lbs)	Spring	2"	2	OME616	
			Shock		2	N196	
All	Front	Gas - Heavy Load (90-180lbs)	Spring	2"	2	OME619	
			Shock		2	N196	
All	Rear	Gas - No Load	Spring	2.25"	2	OME617	
			Shock		2	N198	
All	Rear	Gas - Heavy Constant Load (300lbs)	Spring	2.25"	2	OME618	
			Shock		2	N198	
	Rear	Gas - Heavy Constant Load (660lbs)	Spring	2.25"	2	OME620	
			Shock		2	N198	
Optional		Panhard Rod Extension Bracket Kit LHD			1	FK37 <sup>2</sup>	
		Panhard Rod Extension Bracket Kit RHD			1	FK39 <sup>2</sup>	
		Front Trim Spacer 10mm					OMEJKPF10 <sup>1</sup>
		Rear Trim Spacer 10mm					OMEJKPR10 <sup>1</sup>

<sup>1</sup>Do Not Fit More Than One Trim Spacer Per Coil Spring  
<sup>2</sup>Fitment of Panhard rod extension bracket is not mandatory, but fitment will improve the ride

### Accessories

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES 1

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>	<u>Spline</u>	<u>Ratio</u>	<u>Part No.</u>
2007-08	Front	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100
					3.54 & DN	RD101
2007-08	Rear	Dana 44	33.3 (1.31")	30	All	RD117 <sup>1</sup>
		Dana 35	29.5 (1.16")	27	3.92 & UP	TBA
			29.5 (1.16")	27	3.54 & Up	TBA

<sup>1</sup>Will Not Fit Rubicon Models

#### **ARB AIR LOCKER DIFFERENTIAL COVERS**

<u>Differential</u>	<u>Description</u>	<u>Part No.</u>
Dana 44	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750003
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002
Dana 35	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750004



# CHRYSLER

## JEEP WRANGLER JK 2 Door

### ARB DELUXE WINCH BARS

#### Including Air Bag Equipped Models

<u>Year</u>	<u>Type</u>	<u>Features</u>	<u>Winches</u>	<u>Part No.</u>
2007-08	Winch Bumper	Air Bag Approved, Retains the Factory Fog Lamps, Urethane Buffers, Recovery Points, Hi-Lift Jack Points, Auxiliary Light Mount Provisions	Warn 6-9500LBS, 9.5Ti, Warn Powerplant	3450200
2007-08	Rockbar	Recovery Points, Hi-Lift Jack Points, Auxiliary Light Mount Provisions	Warn 6-9500LBS, 9.5Ti, Warn Powerplant	3450210

### IPF LIGHTS & LIGHTING ACCESSORIES

<u>Year</u>	<u>Recommended Lighting</u>
2007-08	800XSD, 900XS, 900HID, 930S/R, 960 S/R, 868CS, 968CS, J-01

### ARB SIDE PROTECTION BARS

<u>Year</u>	<u>Type</u>	<u>Item</u>	<u>Part No.</u>
2007-08	JK 2 Door	Rock Sliders	4450200 <sup>1</sup>

<sup>1</sup>Rock Sliders Available Spring 2008

### ARB REAR PROTECTION BARS

<u>Year</u>	<u>Type</u>	<u>Item</u>	<u>Part No.</u>
2007-08	JK	Rear Bumper Assembly, Black	5650100 <sup>123</sup>

<sup>1</sup>Non Swing Out, Tire Mounts in Factory Position

<sup>2</sup>Accommodates Up to a 35" Tire

<sup>3</sup>Utilizes Factory Tow Package and Recovery Points

\* Net Weight Only 40 lbs

### SAFARI SNORKELS

<u>Year</u>	<u>Recommended Snorkel</u>	<u>Part No.</u>
2007-08	3.8L V6 Gas Engine	SS1060HF <sup>1</sup>
	2.8L I4 Diesel Engine	SS1065HF <sup>1</sup>

<sup>1</sup>SS1060HF and SS1065HF are Currently Under Development. Release TBA.

### OLD MAN EMU SUSPENSION PRODUCTS

<u>Model</u>	<u>Location</u>	<u>Description</u>	<u>Type</u>	<u>Lift</u>	<u>Quantity</u>	<u>Part No.</u>
All	Front	Gas - Stock/Light Load (0-90lbs)	Spring	2"	2	OME615
			Shock		2	N196
All	Front	Gas - Heavy Load (90-180lbs)	Spring	2"	2	OME616
			Shock		2	N196
All	Rear	Gas - Medium Load	Spring	2.25"	2	OME617
			Shock		2	N198
All	Rear	Gas - Heavy Constant Load (150lbs)	Spring	2.25"	2	OME618
			Shock		2	N198
Optional		Front Trim Spacer 10mm				OMEJKPF10 <sup>1</sup>
		Rear Trim Spacer 10mm				OMEJKPR10 <sup>1</sup>

<sup>1</sup>Do Not Fit More Than One Trim Spacer Per Coil Spring

**ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES**

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>	<u>Spline</u>	<u>Ratio</u>	<u>Part No.</u>
2007-08	Front	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100
					3.54 & DN	RD101
2007-08	Rear	Dana 44	33.3 (1.31")	30	All	RD117 <sup>1</sup>
		Dana 35	29.5 (1.16")	27	3.92 & UP	TBA
			29.5 (1.16")	27	3.54 & Up	TBA

<sup>1</sup>Will Not Fit Rubicon Models

**ARB AIR LOCKER DIFFERENTIAL COVERS**

<u>Differential</u>	<u>Description</u>	<u>Part No.</u>
Dana 44	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750003
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002
Dana 35	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750004



## JEEP WRANGLER TJ

# CHRYSLER

### ARB DELUXE BULL BARS & WINCH BARS

#### Including Air Bag Equipped Models

Year	Type	Features	Winches	Part No.
1997-06	Winch Bar	Airbag Approved, Recessed Indicators, Tow Points, Black	9.5ti/si, HS9500i, XD9000, XD9000i, M8000, XP9500	3450070
1997-06	Bull Bar	Airbag Approved, Recessed Indicators, Tow Points, Black	N/A	3250070

### IPF LIGHTS & LIGHTING ACCESSORIES

Year	Recommended Lighting
1997-06	800XSD, 900XS, 900HID, 930S/R, 960 S/R, 868CS, 968CS, J-01

### ARB SIDE PROTECTION BARS

Year	Type	Item	Part No.
1997-06	TJ SWB only	Rock Sliders for SWB TJ, Black	4450010

### ARB REAR PROTECTION BARS

Year	Type	Item	Part No.
1997-06	TJ	Deluxe Rear Bar Assembly, Black	5650010 <sup>1,2</sup>
		Swingaway Wheel Carrier, Black	5750012 <sup>1,2</sup>
		Hi-Lift Jack Bracket, Black	5750030
		Wheel Lock Nut Set	5750040

\*\*\* Contact ARB with any questions before ordering

<sup>1</sup> Rear bar and wheel carrier must be purchased together for proper installation

<sup>2</sup> Rear bar has built in tow hitch, but does not come with ball mount for towing. Use standard 2" receiver and ball available at most auto parts stores

### SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
09/99-06	4.0L, Petrol, right side mount <sup>1</sup>	SS1055HF
To 8/99	4.0L, Petrol, right side mount <sup>1</sup>	SS1050HF

<sup>1</sup> Snorkel will interfere with removal of doors.

### OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
ALL	ALL	Light Load Suspension Kit				OMETJLK
	ALL	Heavy Load Suspension Kit				OMETJHK
ALL	Front (6 Cyl.)	Stock.Light Load (0-90lbs)	Spring	2.0"	2	OME932
			Shock		2	*N66/N66C
ALL	Front (6 Cyl.)	Heavy Load (90-180lbs)	Spring	1.5"	2	OME933
			Shock		2	N66
ALL	Rear	Light Load/Soft Top	Spring	2.5"	2	OME941 <sup>3</sup>
			Shock		2	N67
ALL	Rear	Medium Load/Hard Top	Spring	2.0"	2	OME942 <sup>3</sup>
			Shock		2	N67
ALL	Rear	Heavy Constant Load (220 to GVW)	Spring	2.0"	2	OME942 <sup>3</sup>
			Shock		2	N67
ALL	Installation	T-Case Spacer Kit (1997-02)			1	JWGK01 <sup>1,6</sup>
		T-Case Spacer Kit (2003 On w/ manual transmission)			1	JWGK02 <sup>1,6</sup>
		T-Case Spacer Kit (2003 On w/ automatic transmission)			1	JWGK03 <sup>1,6</sup>
		Panhard Rod Bracket			1	FKWTJ02 <sup>2,6</sup>
		Bump Stop Spacer Kit			1	FK16 <sup>3,6</sup>
		Steering Damper			1	OMESD40

\*\*\* Suspension listing continued on next page

### OLD MAN EMU SUSPENSION PRODUCTS CONTINUED

Optional	Front 10mm Trim Spacer		OMEJGF10
	Rear 10mm Trim Spacer		OMEWTJPR10
Also Available	Front Extended Length Shocks	2	N66L <sup>5</sup>
	Rear Extended Length Shocks	2	N67L <sup>5</sup>
	4" Front Coil Spring	2	OME939 <sup>7</sup>
	4" Rear Coil Spring	2	OME946 <sup>7</sup>
	Jeep Unlimited Rear Coil Spring	2	OME949

- <sup>1</sup> Appropriate T-Case spacer kit is mandatory to prevent driveline vibration.
- <sup>2</sup> FKWTJ02 Panhard Rod Bracket is mandatory to ensure correct rear axle tracking.
- <sup>3</sup> FK16 spacer kit is mandatory to prevent coil springs from becoming solid on full compression.
- <sup>4</sup> Due to a variance in curb weight, 4 cylinder models may net slightly more lift than 6 cylinder models.
- <sup>5</sup> N66L/N67L Extended length shocks are for 3.5-5" suspension lifts only and are not intended for use with any Old Man Emu systems. Modified bump stops are required.
- <sup>6</sup> Important: FK16, FKWTJ02 & JWGK01 are all mandatory for proper installation. Failure to install any of these kits will void OME warranty.
- <sup>7</sup> 4" Coils match L Series shocks, but do not constitute a complete system

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

Year	Axle	Description	Shaft	Spline	Ratio	Part No.
1997-06	Front	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100
					3.54 & DN	RD101
				30	3.73 & UP	RD104
1997-06	Rear	Dana 44, TJ Rubicon Model only	29.5 (1.16")	27	2.73-3.31	RD103
					3.54 & UP	RD102
				30	3.54 & UP	RD105
				30	3.92 & UP <sup>1</sup>	RD116
					3.73 & DN	RD117 <sup>2</sup>
				33	3.92 & UP	RD113
	35	3.92 & UP	RD109			

- <sup>1</sup> Some Dana 44 with 4.10 ratio use thick ring gear and must use RD117.
- <sup>2</sup> Newer OME Dana 35 & Dana 44 ring gears have 7/16" bolts. Flange holes of the Air Locker must be reamed larger to suit.
- <sup>3</sup> Most Front Dana 44 Rubicons use RD117 with original gears. When using aftermarket or non-stock gears, contact ARB for which locker to use

### ARB AIR LOCKER DIFFERENTIAL COVERS

Differential	Description	Part No.
Dana 44	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750003
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002
Dana 35	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750004



## JEEP WRANGLER YJ

# CHRYSLER

### ARB DELUXE BULL BARS & WINCH BARS

Year	Type	Features	Winches	Part No.
1987-95	Winch Bar	Recessed Indicators, Tow Points, Black	9.5xp, HS9500i <sup>1</sup> , XD9000, XD9000i, M8000, M8000i, M6000	3450040

<sup>1</sup> Fitment of Warn 9.5xp, HS9500 & HS9500i winch requires modifications.

### IPF LIGHTS & LIGHTING ACCESSORIES

Year	Recommended Lighting
1987-95	868CS

### SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
ALL	Inline six, 4.0L, Petrol, Fuel Injected	SS1000HF <sup>1</sup>

<sup>1</sup> Will not fit models with ABS braking systems

Refer to [www.safari4x4.com.au](http://www.safari4x4.com.au) for details.

### OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
ALL	Front	Stock/Light Load (0-100lbs)	Spring	2.0"	2	CS014F
			Shock		2	N33
ALL	Front	Heavy Load (100-200lbs)	Spring	1.75"	2	CS014F <sup>3,4</sup>
			Shock		2	N33
ALL	Rear	Light Load/Soft Top	Spring	2.0"	2	CS037R
			Shock		2	N34
ALL	Rear	Medium Load/Hard Top	Spring	2.0"	2	CS036R
			Shock		2	N34
ALL	Installation	Leaf Spring Bushing Kit			4	OMESB57 <sup>1</sup>
		T-Case Spacer Kit			1	JWVGK01 <sup>2</sup>
		Steering Damper			1	OMESD40
ALL	Optional	Greasable Shackle Kit			2	OMEGB11
		Greasable Bushing Kit			4	OMESB87 <sup>1</sup>
		Front or Rear Extra Leaf				J1FXL/D23XL <sup>4</sup>
ALL	Also Available	Front Extended Length Shocks			2	N33L <sup>5</sup>
		Rear Extended Length Shocks			2	N34L <sup>5</sup>

<sup>1</sup> Use OMESB57 bushings with original shackles. Use OMESB87 bushings with OME Greasable Shackles.

<sup>2</sup> JWVGK01 is mandatory to prevent driveline vibration.

<sup>3</sup> Due to a variance in curb weight, 4 cylinder models may net slightly more lift than 6 cylinder models.

<sup>4</sup> Extra Leaf can be fitted for heavier constant load carrying ability. J1FXL/D23XL

<sup>5</sup> N33L/N34L Extended Length Shocks are for 3-5" suspension lifts only and are not intended for use with any Old Man Emu systems. Modified bump stops are required.

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

Year	Axle	Description	Shaft	Spline	Ratio	Part No.
ALL	Front	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100
					3.54 & DN	RD101
				30	3.73 & UP	RD104
ALL	Rear	Dana 35, C-clip, XJ, YJ, ZJ, TJ, WJ	29.5 (1.16")	27	2.73-3.31	RD103
					3.54 & UP	RD102
				30	3.54 & UP	RD105

### ARB AIR LOCKER DIFFERENTIAL COVERS

Differential	Description	Part No.
Dana 30	<a href="http://arbuser.com/New_Products/differential_cover.pdf">http://arbuser.com/New_Products/differential_cover.pdf</a>	0750002

