



MITSUBISHI

MONTERO NM and NP

ARB DELUXE BULL BARS & WINCH BARS

<u>Year</u>	<u>Type</u>	<u>Features</u>	<u>Winches</u>	<u>Part No.</u>
2000-03 NM	Sahara Bar	Airbag Approved, Recessed Indicators, Recessed Fog Lamps ² , Urethane Buffers, Tow Points ¹ , Grey	XD9000, M8000, M6000	3934020
2000-03 NM	Winch Bar	Airbag Approved, Recessed Indicators, Urethane Buffers, Tow Points ¹ , Split Pan, Black	XD9000, M8000, M6000	3434050
2004-06 NP	Winch Bar	Airbag Approved, Recessed Indicators, Urethane Buffers, Tow Points ¹ , Split Pan, Black	XD9000, M8000, M6000	3434060

¹ Utilizes original equipment tow points.

² Optional on this model - ARB part no. 9381FCK

IPF LIGHTS & LIGHTING ACCESSORIES

<u>Year</u>	<u>Type</u>	<u>Recommended Lighting</u>
2000-06	ALL	800XSD, 900XS, 900HID, 930S/R, 960 S/R, 868CS, 968CS, J-01

SAFARI SNORKELS

<u>Year</u>	<u>Recommended Snorkel</u>	<u>Part No.</u>
2000-06	NM & NP 6G74 V6 3.5L petrol and 4M41 DID 3.2L Diesel RHS mount Refer to www.safari4x4.com.au for details.	SS35HF

OLD MAN EMU SUSPENSION PRODUCTS

<u>Model</u>	<u>Location</u>	<u>Description</u>	<u>Type</u>	<u>Lift</u>	<u>Quantity</u>	<u>Part No.</u>
2000-06 NM AND NP	Front	V6 - Stock/Light Load	Spring	1.50"	2	OME914
			Shock		2	N109S
	Front	V6 - Heavy Load (110-220lbs)	Spring	1.50"	2	OME915
			Shock		2	N129S
	Front	2.8 & 3.2 Diesel - Stock/Light Load	Spring	1.50"	2	OME915
			Shock		2	N129S
	Front	2.8 & 3.2 Diesel - Heavy Load	Spring	1.50"	2	OME924
			Shock		2	N129S
	Rear	Gas or Diesel - Medium Load	Spring	1.50"	2	OME917
			Shock		2	N110
	Rear	Gas or Diesel - Heavy Load	Spring	1.50"	2	OME918
			Shock		2	N152

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>	<u>Spline</u>	<u>Ratio</u>	<u>Part No.</u>
2000-06	Front	IFS, 28 Spline	28.8 (1.13")	28	ALL	RD110 ¹
	Rear	NM, NP, 9.5" RG, IRS		33	ALL	N/A

¹ Will not fit Pajero/Montero 3000cc automatic.



MONTERO / PAJERO

MITSUBISHI

ARB DELUXE BULL BARS & WINCH BARS

Year	Type	Features	Winches	Part No.
1981-88	Winch Bar	Recessed Indicators, Tow Points, Black	XD9000, M8000, M6000	3434010

IPF LIGHTS & LIGHTING ACCESSORIES

Year	Type	Recommended Lighting
1981-88	ALL	800XSD, 900XS, 900HID, 960 S/R, 868CS, 968CS, J-01
1991-00	ALL	800XSD, 868CS

SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
To 1990	3.0L V6/2.5L Diesel Snorkel	SS20HF

OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
1991-99	Front	Stock/Light Load	Torsion ¹		1	303010/11 ³
			Shock		2	N18
1991-99	Rear	LWB Rear Coil Spring - Medium Load (0lbs to GVW)	Spring	.50"	2	OME910 ²
			Shock		2	N64
1991-99	Rear	LWB Rear Coil Spring - Heavy Constant Load (440lbs+)	Spring	.50"	2	OME938 ²
			Shock		2	N64
¹ Adjust front torsion bar for additional height after installing rear springs. Set ride height to 1/3 upper bump stop clearance and 2/3 lower bumps stop clearance. ² Coils must be installed with progressive rate to the top. ³ 303010 for 91-94 with 1278mm length torsion bars, 303011 for 95-00 with 1308mm length bars						
1989-91	Front	Stock/Light Load	Torsion ¹		1	303010 ¹
			Shock		2	N60G
1989-91	Rear	Rear Coil Spring - Medium Load	Spring	.50"	2	OME910 ²
			Shock		2	N62G
1989-91	Installation	Steering Damper - For Rear Coil Spring Models			1	OMESD17 ³
¹ Adjust front torsion bar for additional height after installing rear springs. Set ride height to 1/3 upper bump stop clearance and 2/3 lower bumps stop clearance. ² Coils must be installed with progressive rate to the top. ³ OMESD17 only fits non power steering models.						
To 1991	Front	Stock/Light Load	Torsion ¹		1	303009 ¹
			Shock		2	N60G
To 1991	Rear	Rear Leaf Spring - Medium Load	Spring	1.50"	2	CS022R
			Shock		2	*N56/N54
To 1991	Rear	Rear Leaf Spring - Constant Heavy Load (550lbs+)	Spring	1.50"	2	CS023R
			Shock		2	N56
To 1991	Installation	Leaf Spring Bushing Kit			2	OMESB8 ²
		U Bolts			4	OMEU54 ³
		Steering Damper			1	OMESD17 ⁴
¹ Adjust front torsion bar for additional height after installing rear springs. Set ride height to 1/3 upper bump stop clearance and 2/3 lower bump stop clearance. ² OMESB8 must be used with CS022R & CS023R springs. ³ OMEU54 only required on SWB models. ⁴ OMESD17 only fits non power steering models.						

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

<u>Year</u>	<u>Axle</u>	<u>Description</u>	<u>Shaft</u>	<u>Spline</u>	<u>Ratio</u>	<u>Part No.</u>
1991-99	Front	IFS, 28 Spline		28	ALL	RD110 ⁴
1983-86	Rear	Small ¹ Differential	30.5 (1.20")	28	ALL	RD05
1987-95	Rear	Large ² Differential Disc Brake	30.5 (1.20")	28	ALL	RD25 ³
		Large ² Differential Drum Brake	30.5 (1.20")	28	ALL	RD46 ⁴

¹ Small differential has a crown wheel spigot diameter of 124mm.

² Large differential has a crown wheel spigot diameter of 145mm.

³ Will not fit turbo diesel with intercooler or 3500cc petrol vehicles

⁴ Will not fit Pajero/Montero 3000cc automatic.



MITSUBISHI

MONTERO SPORT / CHALLENGER

ARB DELUXE BULL BARS & WINCH BARS

Including Air Bag Equipped Models

Year	Type	Features	Winches	Part No.
1997-99	Winch Bar	Sport - Airbag Approved, Recessed Indicators, Urethane Buffers, Tow Points, Black	XD9000, M8000, M6000	3435010

IPF LIGHTS & LIGHTING ACCESSORIES

Year	Type	Recommended Lighting
1997-99	Winch Bar	800XSD, 900XS, 900HID, 930S/R, 960S/R, 868CS, 968CS, J-01, 630RV

SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
N/A	N/A	N/A

OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
2000-04	Front	Coil Spring - Stock/Light Load	Spring			303011 ¹
			Shock		2	N57G
2000-04	Rear	Coil Spring - Medium Load (0lbs to GVW)	Spring	1.50"	2	OME911
			Shock		2	N116
2000-04	Rear	Coil Spring - Heavy Constant	Spring	1.50"	2	OME910
			Shock		2	N116
1998-99	Front	Rear Leaf Spring - Stock/Light Load	Spring		2	303011 ¹
			Shock		2	N57G
1998-99	Rear	Rear Leaf Spring - Medium Load	Spring	1.0"	2	CS040R ²
			Shock		2	N56/N54
1998-99	Rear	Rear Leaf Spring - Heavy Constant (440lbs to GVW)	Spring	1.0"	2	CS041R ²
			Shock		2	N56
1998-99	Installation	Rear Leaf Spring - Leaf Spring Bushing Kit			2	OMESB83 ²
	Optional	Rear Extra Leaf				D7XL ³

¹ Adjust front torsion bar for additional height after installing rear springs. Set ride height to 1/3 upperbump stop clearance and 2/3 lower bump stop clearance.

² CS040R & CS041R springs can only be installed with OMESB83 bushings.

³ Extra Leaf can be fitted for heavier constant load carrying ability.

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

Year	Axle	Description	Shaft	Spline	Ratio	Part No.
ALL	Front	IFS, 28 Spline	28.8 (1.13")	28	ALL	RD110
ALL	Rear	3.0L, 9.00" RG	30.5 (1.20")	28	ALL	RD46
ALL	Rear	3.5L, 9.50" RG	35.5 (1.40")	31	ALL	N/A



MITSUBISHI

MITSUBISHI TRITON / L200

ARB DELUXE BULL BARS & WINCH BARS

Year	Type	Features	Winches	Part No.
2001-2006	Winch Bar	SRS Airbag Approved, Recessed Indicators, Black	HS9500, XD9000, M8000, M6000	3446060
To 8/2001	Winch Bar	For Non-SRS Airbag models, Recessed Indicators, Black	HS9500, XD9000, M8000, M6000	3446030

IPF LIGHTS & LIGHTING ACCESSORIES

Year	Type	Recommended Lighting
1996-05	ALL	800XSD, 868CS

SAFARI SNORKELS

Year	Recommended Snorkel	Part No.
1996-06	2.8L Diesel/Turbo Diesel Models	SS650HF

ARB SIDE STEPS & RAILS

Year	Description	Part No.
1995-05	ARB Protection Steps - DC Models only. Black powder coat.	4446010

OLD MAN EMU SUSPENSION PRODUCTS

Model	Location	Description	Type	Lift	Quantity	Part No.
1996-2005	Front	Medium Load (110lbs to GVW)	Torsion		1	303006 ¹
		MH Models	Shock		2	N60G
		MK Models	Shock		2	*N18/N57G
	Rear	Medium Load (0lbs to GVW)	Spring	1.50"	2	CS022R ²
		MH Models	Shock		2	N30
		MK Models	Shock		2	N30E
		Heavy Constant (440lbs to GVW)	Spring	1.50"	2	CS023R ²
		MH Models	Shock		2	N30
		MK Models	Shock		2	N30E
	Installation	Leaf Spring Bushing Kit				2
U Bolts					4	OMEU57
Steering Damper					1	OMESD35
Anti-Inversion Kit					1	FK30 ³
Greasable Shackle Kit					1	OMEGS16

¹ Adjust front torsion bar for additional height after installing rear springs. Set ride height to 1/3 upper bump stop clearance and 2/3 lower bump stop clearance.

² OME leaf springs can only be installed with OME bush kits in this application.

³ FK30 Anti-Inversion kit is a mandatory fitment in this application.

****Be sure to select correct shocks for either MH or MK models**

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

Year	Axle	Description	Shaft	Spline	Ratio	Part No.
1991 On	Front	IFS, 28 Spline		28	ALL	RD110 ²
1987-95	Rear	Large ¹ Differential Disc Brake	30.5 (1.20")	28	ALL	RD25
		Large ¹ Differential Drum Brake	30.5 (1.20")	28	ALL	RD46

¹ Large differential has a crown wheel spigot diameter of 145mm.

² Will not fit Pajero/Montero 3.0L Automatic